## PDL UPDATE: SALIVA COVID-19 NAA



May 11, 2021

## NEW TEST UPDATE

Effective May 11, 2021, Pacific Diagnostic Laboratories (PDL) will be offering a SALIVA COVID-19 (SARS-CoV-2), NAA test.

COVID-19, NAA SALIVA					
Lab Code:         LAB10941         Test Code:         1230119033         TAT:         48 Hours	-				
Specimen Requirements	Patient Preparation:				
<u>Specimen Type</u> : Saliva					
Collection: OBSERVED self-collection	hours				
A healthcare professional must observe the patient perform the saliva					
collection.					
<ul> <li><u>Specimen Container</u>: Saliva collection kit</li> <li>Sterile 10 mL conical tube</li> </ul>	<b>24 HOURS PRIOR TO COLLECTION:</b> Patient should NOT have DENTAL work, including any DENTAL				
• Funnel	EXAMINATIONS.				
Biohazard bag					
Collection instructions					
Specimen Handling:	E JU				
<ul> <li>Observe patient collection in accordance to the collection instructions.</li> </ul>					
• Ensure specimen tube is labeled with patient name and DOB.	30 MINUTES PRIOR TO COLLECTION:				
• Place sealed specimen into the biohazard bag.	NO FOOD or DRINK				
• Store at room temperature for courier pick-up.	NO SMOKING				
Transport Temperature: Room Temperature	<ul><li>NO CHEWING GUM</li><li>NO BRUSHING TEETH</li></ul>				

Billing Guidance: Please refer to PDL COVID-19 Billing Tip Sheet on www.pdllabs.com

IT TEST BUILD/CHANGE INFORMATION					
NEW Test Name	Order Code	Test Code	СРТ	CDM	
COVID-19 SALIVA (Hologic)	LAB10941	1230119033	U0003/U0005	30200938/30200939	
Result Name	Result Code	LOINC	Client Price		
COVID-19 Saliva (Hologic)	1230018674	95824-9	\$140		

FOR ADDITIONAL QUESTIONS PLEASE CONTACT PDL CLIENT SERVICES AT (805) 879-8100

Stewart W. Comer, MD, FCAP

Medical Director, Pacific Diagnostic Laboratories